

19" Server Cabinet, Standard Line, 47U, 1000 (D) x 800 (W) mm, Black

IP20-Rated Housing, Flat Pack, Steel Panels, Maximum Static Load 1500 kg, Reversible Front Door, Installation Depth 123 to 773 mm

SKU: 714129 | EAN-13: 0766623714129 | UPC: 766623714129

Intellinet Network Solutions Server Cabinets offer flexible and comprehensive solutions for your server installations. Our service starts with the shipping condition – get the completely assembled cabinet delivered or save space and money with the flatpack version. Numerous 19″ options are available for housing, all with an installation depth of 1000 mm & 1200 mm. Cabinet heights range from 26 to 47 units in either black (RAL9005) or gray (RAL7035) color, so there's a solution for every need. The removable side panels and the lockable doors make cabling and component exchange particularly easy. Perforations on front and back provide excellent airflow. We provide top quality in materials and workmanship, including a cold-rolled steel frame, zinc-plated 19″ mounting rails and antistatic powder coating on all panels.

Features:

- Ideal for all 19 in. rackmount applications
- Maximum static load of 1500 kg
- Perforated door and ventilation slots provide excellent airflow
- Zinc-plated 19 in. mounting rails
- Antistatic powder coating on all panels
- Panels with up to 2 mm steel thickness
- Reversible front door
- IP20-rated housing
- Easily removable and lockable side panels
- Multi-point door lock
- Two apertures allow cable inlet from top or bottom
- Ships flatpacked
- Three-Year Warranty

Specifications:

General
• 19 in.
• Height: 47U
• Color: Black RAL9005
• Standards & certifications: RoHS, UL, Gost-R, IEC 60297, IEC 60917, EN 61587-1
• Protection rating: IP20

Dimensions
• Internal: 950 (D) x 703 (W) x 2095 (H) [mm]
• External: 1000 (D) x 800 (W) x 2255 (H) [mm]
• Adjustable depth range: 123 to 773 mm

Package Contents
• Four depth-adjustable mounting rails

For more information on Intellinet products, consult your local dealer or visit www.intelllinet-network.com.
All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

- Four adjustable supporting feet
- Installation hardware










Four Adjustable Supporting Feet Included





For more information on Intellinet products, consult your local dealer or visit www.intelllinet-network.com.
All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.



Rollpack Model #	Assembled Model #	U	Height external (mm)	Width external (mm)	Depth external (mm)	Height internal (mm)	Width internal (mm)	Depth internal (mm)	Adjustable Depth Range (mm)	Color
713248	713344	26	1322	600	1000	1162	503	950	123-773	Black
713257	713351	26	1322	600	1000	1162	503	950	123-773	Gray
713252	713320	36	1766	600	1000	1607	503	950	123-773	Black
713214	713357	36	1766	600	1000	1607	503	950	123-773	Gray
713695	715164	36	1766	600	1200	1607	503	1150	123-973	Black
713269	713326	42	2033	600	1000	1873	503	950	123-773	Black
713231	713313	42	2033	600	1000	1873	503	950	123-773	Gray
713719	715265	42	2033	600	1200	1873	503	1150	123-973	Black
713276	713283	42	2033	800	1000	1873	703	950	123-773	Black
713755	715117	42	2033	800	1200	1873	703	1150	123-973	Black
714129	-	47	2280	800	1000	2095	703	950	123-773	Black
714106	-	47	2280	800	1200	2095	703	1150	123-973	Black

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.